

- 7 A 35.0 kg anchor is dragged with a horizontal force of 125 N so that the anchor accelerates at 2.3 m/s^2 for a short period of time. What is the coefficient of kinetic friction? **Include a free-body diagram in your answer.**
- 8 Justin is towing a box of graphing calculators along a flat surface for which $\mu_k = 0.10$. The box is attached to a rope at an angle of 30.0° to the horizontal, and Justin is pulling with 40.0 N of force.
- A Sketch the free body diagram.
 B Calculate the acceleration of the box of calculators if it has a mass of 5.0 kg.
- 9 After a successful hunt, a 210 kg caribou is loaded aboard a 35 kg sled and the hunter drags the load with a rope over her shoulder. The rope makes an angle of 55° with the ground. The coefficient of kinetic friction between the sled runners and the snow is 0.32. Determine the force in the rope that
- (a) maintains a constant speed of 2.2 m/s
 (b) results in the sled accelerating at 1.0 m/s^2
- 10 A box initially at rest has a mass of 25 kg and is pulled along a table with a force of 250 N [L 35° U]. The coefficient of kinetic friction is 0.24. How far to the left does this force move the box in a time of 2.5 s?
- 11 Three boxes are touching as shown in the picture. They are pushed by a force of 34 N and move on a frictionless surface. Compute the force with which box C pushes back on box B.

